HIT-RE 500 V4 by Hilti



HPD UNIQUE IDENTIFIER: 877117015040

CLASSIFICATION: 03 15 00 Concrete Accessories

PRODUCT DESCRIPTION: HIT-RE 500 V4 Epoxy Anchor is an ultimate-performance injectable epoxy mortar with approvals for rebar connections and heavy-duty anchoring. This HPD is applicable to all canister/cartridge sizes.

Section 1: Summary

CONTENT INVENTORY

- Inventory Reporting Format
- Nested Materials Method
 Basic Method

Threshold Disclosed Per

C Material

O Product

Threshold Level
○ 100 ppm
○ 1,000 ppm
○ Per GHS SDS

C Other

Residuals/Impurities Evaluation

- Completed
- Partially Completed
 Not Completed

Explanation(s) provided : • Yes O No

Basic Method / Product Threshold

| For all contents above the threshold, the n | nanufacturer has: |
|---|-------------------|
| Characterized | • Yes • No |
| Provided weight and role. | |
| Screened | • Yes • No |
| Provided screening results using HPDC-a | oproved |
| methods. | |
| Identified | ○ Yes ⊙ No |
| Provided name and CAS RN or other iden | tifier. |

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

HIT-RE 500 V4 [QUARTZ BM-1 * | CAN | MAM | GEN BISPHENOL A DIGLYCIDYL ETHER T-P1 | CAN | END | SKI | MUL | EYE | AQU FORMALDEHYDE, POLYMER WITH (CHLOROMETHYL)OXIRANE AND PHENOL T-P1 | MUL 2-METHYL-1,5-PENTAMETHYLENEDIAMINE T UNK OXIRANE, 2,2'-[1,4-BUTANEDIYLBIS(OXYMETHYLENE)]BIS- T-P1 | SKI | MUL | EYE 1,3-PROPANEDIOL, 2-(HYDROXYMETHYL)-2-METHYL-, POLYMER WITH (CHLOROMETHYL)OXIRANE LT-UNK UNDISCLOSED T-UNK UNDISCLOSED T-UNK SILANE, TRIMETHOXY[3-(OXIRANYLMETHOXY)PROPYL]- T-UNK | MAM | EYE | GEN PHENOL, STYRENATED T-P1 | MUL 1,3-BENZENEDIMETHANAMINE T-P1 | SKI | MUL | MAM | EYE UNDISCLOSED BM-2 | MAM PHENOL, 2,4,6-TRIS[(DIMETHYLAMINO)METHYL]- T-UNK | SKI | EYE 1-PROPANAMINE, 3-(TRIETHOXYSILYL)- T-UNK | SKI | MAM | EYE]

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 2.7 Regulatory (g/l): 70 Does the product contain exempt VOCs: No Are colorants available that do not increase the VOC content of the base paint when tinted: N/A Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) \dots LT-P1

Nanomaterial ... No INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was created using supplierprovided data in accordance with the HPD Standard version 2.3, and discloses hazards associated with all substances present at or above 1,000 parts per million (ppm) in the finished product, along with the role and percent weight.

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario

VOC content: SCAQMD Rule 1168 Adhesive and Sealant Applications - Adhesives for Wood Flooring, Rubber Floor, Ceramic Tile, Multipurpose Construction, Structural Glazing and Contact, as amended 1/7/05

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

© No

PREPARER: Self-Prepared VERIFIER: WAP Sustainability Consulting VERIFICATION #: zPr-21896 SCREENING DATE: 2024-07-30 PUBLISHED DATE: 2024-08-22 EXPIRY DATE: 2027-07-30 This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

HIT-RE 500 V4

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: The threshold applied to residuals and impurities is the same as that applied to intentionally added substances, i.e., 1,000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD.

OTHER PRODUCT NOTES:

| QUARTZ | | | | ID: 14808-60-7 |
|-----------------------|----------------------------------|-----------|---|--|
| HAZARD DATA SOURCE: P | naros Chemical and Materials Lik | orary | HAZARD S | CREENING DATE: 2024-07-30 11:01:30 |
| %: 25.0000 - 40.0000 | GreenScreen: BM-1 | RC: None | NANO: No | SUBSTANCE ROLE: Filler |
| HAZARD TYPE | LIST NAME AND SOURCE | 1 | WARNINGS | |
| CAN | US CDC - Occupational Ca | rcinogens | Occupational Carc | inogen** |
| CAN | CA EPA - Prop 65 | | Carcinogen - spec | ific to chemical form or exposure route** |
| CAN | US NIH - Report on Carcino | ogens | Known to be Huma occupational settin | an Carcinogen (respirable size - ng)** |
| CAN | МАК | | Carcinogen Group man** | 1 - Substances that cause cancer in |
| CAN | IARC | | Group 1 - Agent is occupational sourc | carcinogenic to humans - inhaled from |
| CAN | IARC | | Group 1 - Agent is | Carcinogenic to humans** |
| CAN | US NIH - Report on Carcino | ogens | Known to be a hun | nan Carcinogen** |
| CAN | GHS - Japan | | H350 - May cause 1A]** | cancer [Carcinogenicity - Category |
| CAN | GHS - Australia | | H350i - May cause Category 1A or 1B | e cancer by inhalation [Carcinogenicity -]** |
| CAN | GHS - New Zealand | | Carcinogenicity ca | tegory 1** |
| MAM | GHS - Japan | | repeated exposure | mage to organs through prolonged or [Specific target organs/systemic toxicity exposure - Category 1]** |
| GEN | GHS - Japan | | H341 - Suspected mutagenicity - Cate | of causing genetic defects [Germ cell egory 2]** |
| МАМ | GHS - Australia | | | mage to organs through prolonged or e [Specific target organ toxicity - e - Category 1]** |
| МАМ | GHS - New Zealand | | Specific target orga 1** | an toxicity - repeated exposure category |

ADDITIONAL LISTINGS

LIST NAME AND SOURCE

NOTIFICATION

None found

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

**Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacture's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

BISPHENOL A DIGLYCIDYL ETHER

ID: 1675-54-3

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Lil | orary | HAZARD SCREENING DATE: 2024-07-30 11:04:10 | | | |
|----------------------|-----------------------------------|---|---|--|--|--|
| %: 25.0000 - 30.0000 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Binder | | |
| HAZARD TYPE | LIST NAME AND SOURCE | E | WARNINGS | | | |
| CAN | МАК | | | 3A - Evidence of carcinogenic effects establish MAK/BAT value | | |
| END | TEDX - Potential Endocrine | Disruptors | Potential Endocrin | e Disruptor | | |
| SKI | МАК | | Sensitizing Substa | nce Sh - Danger of skin sensitization | | |
| MUL | German FEA - Substances Waters | | | lazard to Waters | | |
| END | EU - Priority Endocrine Disi | | | o evidence of biological activity related ption | | |
| SKI | | | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] | | | |
| EYE | EU - GHS (H-Statements) A | EU - GHS (H-Statements) Annex 6 Table 3-1 | | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] | | |
| SKI | GHS - New Zealand | GHS - New Zealand | | gory 2 | | |
| EYE | GHS - New Zealand | GHS - New Zealand | | ory 2 | | |
| SKI | GHS - Australia | GHS - Australia | | n irritation [Skin corrosion/irritation - | | |
| EYE | GHS - Australia | GHS - Australia | | rious eye irritation [Serious eye on - Category 2A] | | |
| SKI | GHS - New Zealand | | Skin sensitisation category 1 | | | |
| AQU | GHS - Japan | GHS - Japan | | uatic life [Hazardous to the aquatic e) - Category 2] | | |
| AQU | GHS - Japan | | | uatic life with long lasting effects aquatic environment (chronic) - | | |
| EYE | GHS - Japan | | H319 - Causes ser eye irritation - Cate | rious eye irritation [Serious eye damage / egory 2A] | | |

| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | | |
|-------------------------------------|--|---------------------|---|--|--|
| RESTRICTED LIST | T International Living Future Institute (ILFI) | | Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 | | |
| | | | Red List substance V4.0 projects | es to avoid in Living Building Challenge | |
| SUBSTANCE NOTES: | | | | | |
| FORMALDEHYDE, POLYMEF AND PHENOL | NITH (CHLOROMETHYL)OXIRA | NE | | ID: 9003-36- 5 | |
| HAZARD DATA SOURCE: P | naros Chemical and Materials Lib | orary | HAZARD SO | CREENING DATE: 2024-07-30 10:42:29 | |
| %: 10.0000 - 15.0000 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Binder | |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | | |
| MUL | German FEA - Substances Waters | Hazardous to | Class 3 - Severe H | lazard to Waters | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | | |
| RESTRICTED LIST | Cradle to Cradle Products I (C2CPII) | nnovation Institute | | Product Standard Restricted RSL) - Effective July 1, 2022 | |
| | | | Core Restrictions | | |
| SUBSTANCE NOTES: | | | | | |
| | | | | | |
| 2-METHYL-1,5-PENTAMETHY | LENEDIAMINE | | | ID: 15520-10-2 | |

| HAZARD DATA SOURCE: P | haros Chemical and Materials Library | , | HAZARD S | SCREENING DATE: 2024-07-30 10:42:29 |
|---------------------------|--------------------------------------|----------|--------------|---|
| %: 5.0000 - 10.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Curing agent |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| None found | | | No wa | rnings found on HPD Priority Hazard Lists |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | N | o listings found on Additional Hazard Lists |
| SUBSTANCE NOTES: | | | | |
| | | | | |
| OXIRANE, 2,2'-[1,4-BUTANE | DIYLBIS(OXYMETHYLENE)]BIS- | | | ID: 2425-79-8 |
| HAZARD DATA SOURCE: P | haros Chemical and Materials Library | , | HAZARD S | SCREENING DATE: 2024-07-30 10:42:29 |
| %: 5.0000 - 10.0000 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Binder |

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|--|--|
| SKI | МАК | Sensitizing Substance Sh - Danger of skin sensitization |
| MUL | German FEA - Substances Hazardous to Waters | Class 3 - Severe Hazard to Waters |
| SKI | EU - GHS (H-Statements) Annex 6 Table 3-1 | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| EYE | EU - GHS (H-Statements) Annex 6 Table 3-1 | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] |
| SKI | GHS - New Zealand | Skin irritation category 2 |
| EYE | GHS - New Zealand | Eye irritation category 2 |
| SKI | GHS - Australia | H315 - Causes skin irritation [Skin corrosion/irritation - Category 2] |
| EYE | GHS - Australia | H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] |
| SKI | GHS - Japan | H315 - Causes skin irritation [Skin corrosion / irritation - Category 2] |
| SKI | GHS - New Zealand | Skin sensitisation category 1 |
| EYE | GHS - Japan | H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Green Science Policy Institute (GSPI) | GSPI - Six Classes Precautionary List |
| | | Some Solvents |
| | | |

SUBSTANCE NOTES:

1,3-PROPANEDIOL, 2-(HYDROXYMETHYL)-2-METHYL-, POLYMER WITH (CHLOROMETHYL)OXIRANE

ID: 68460-21-9

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | | HAZARD SCREENING DATE: 2024-07-30 10:42:2 | | |
|---|--------------------------------|----------|---|--|--|
| %: 1.0000 - 5.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Binder | |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | | |
| None found | | | No warr | nings found on HPD Priority Hazard Lists | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | | |
| RESTRICTED LIST | Green Science Policy Institute | e (GSPI) | GSPI - Six Classes | s Precautionary List | |
| | | | Some Solvents | | |
| SUBSTANCE NOTES: | | | | | |
| | | | | | |

UNDISCLOSED

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | | HAZARD SCREENING DATE: 2024-07-30 10:4 | | | |
|---|----------------------|----------|--|--|--|--|
| %: 1.0000 - 5.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Anti-adhesive agent | | |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | | | |
| None found | | | No | warnings found on HPD Priority Hazard Lists | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATIC | N | | |
| None found | | | | No listings found on Additional Hazard Lists | | |
| | | | | | | |

SUBSTANCE NOTES: This substance is proprietary.

UNDISCLOSED

ID: Undisclosed

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | | HAZARD SCREENING DATE: 2024-07-30 10:42:3 | | |
|---|----------------------|----------|---|---|--|
| %: 1.0000 - 5.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Binder | |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | | |
| None found | | | No war | nings found on HPD Priority Hazard Lists | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | | |
| None found | | | No | listings found on Additional Hazard Lists | |

SUBSTANCE NOTES: This substance is proprietary.

| HAZARD DATA SOURCE: | Pharos Chemical and Materials Library | / | HAZARD S | CREENING DATE: 2024-07-30 10:42:3 |
|---------------------|---------------------------------------|----------|---|---|
| %: 1.0000 - 5.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Adhesive |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | |
| MAM | GHS - Japan | | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] | |
| EYE | GHS - New Zealand | | Eye irritation cate | gory 2 |
| GEN | GHS - Japan | | H341 - Suspected mutagenicity - Ca | l of causing genetic defects [Germ cell tegory 2] |
| EYE | GHS - Japan | | H318 - Causes se eye irritation - Cat | erious eye damage [Serious eye damage ægory 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | |
| None found | | | No | b listings found on Additional Hazard Lists |

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-07-30 10:42:30 GreenScreen: LT-P1 %: 1.0000 - 5.0000 RC: None NANO: No SUBSTANCE ROLE: Curing agent HAZARD TYPE LIST NAME AND SOURCE WARNINGS German FEA - Substances Hazardous to Class 3 - Severe Hazard to Waters MUL Waters ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

PHENOL, STYRENATED

1,3-BENZENEDIMETHANAMINE

ID: 1477-55-0

| IAZAND DATA SOURCE: P | | HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | | | |
|---------------------------|-------------------------------------|--|--|--|--|--|
| 6: 1.0000 - 5.0000 | GreenScreen: LT-P1 | RC: None | NANO: No | SUBSTANCE ROLE: Curing agent | | |
| HAZARD TYPE | LIST NAME AND SOURCE | | WARNINGS | | | |
| SKI | МАК | МАК | | stance Sh - Danger of skin sensitization | | |
| MUL | German FEA - Substances H Waters | Hazardous to | Class 3 - Severe Hazard to Waters | | | |
| MAM | GHS - Japan | H372 - Causes damage to organs through repeated exposure [Specific target organs following repeated exposure - Category 1] | | | | |
| MAM | GHS - Japan | | H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1] | | | |
| EYE | GHS - Japan | GHS - Japan | | H318 - Causes serious eye damage [Serious eye damage eye irritation - Category 1] | | |
| SKI | GHS - Japan | | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1] | | | |
| MAM | GHS - Japan | GHS - Japan | | nhaled [Acute toxicity (inhalation: dust, 3] | | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | | NOTIFICATION | | | |
| None found | | | Ν | lo listings found on Additional Hazard List | | |
| SUBSTANCE NOTES: | | | | | | |
| | | | | | | |

| UNDISCLOSED | | | ID: Undisclosed | |
|---|-------------------|----------|--|-----------------------------|
| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | | HAZARD SCREENING DATE: 2024-07-30 10:42:31 | |
| %: 1.0000 - 5.0000 | GreenScreen: BM-2 | RC: None | NANO: No | SUBSTANCE ROLE: Accelerator |

| HAZARD TYPE | LIST NAME AND SOURCE | WARNINGS |
|---------------------|---|---|
| MAM | GHS - Japan | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] |
| МАМ | GHS - Japan | H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1] |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCE | NOTIFICATION |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | Biological and Environmentally Released Materials |
| RESTRICTED LIST | Cradle to Cradle Products Innovation Institute (C2CPII) | C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 |
| | | |

SUBSTANCE NOTES: This substance is proprietary.

PHENOL, 2,4,6-TRIS[(DIMETHYLAMINO)METHYL]-

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2024-07-30 10:42:31 %: 0.1000 - 1.0000 GreenScreen: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Activator HAZARD TYPE LIST NAME AND SOURCE WARNINGS SKI EU - GHS (H-Statements) Annex 6 Table 3-1 H315 - Causes skin irritation [Skin corrosion/irritation -Category 2] EYE EU - GHS (H-Statements) Annex 6 Table 3-1 H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] SKI GHS - Australia H315 - Causes skin irritation [Skin corrosion/irritation -Category 2] EYE GHS - Australia H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A] SKI GHS - New Zealand Skin corrosion category 1C GHS - New Zealand EYE Serious eye damage category 1 H318 - Causes serious eye damage [Serious eye damage / EYE GHS - Japan eye irritation - Category 1] SKI GHS - Japan H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1] ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

ID: 90-72-2

1-PROPANAMINE, 3-(TRIETHOXYSILYL)-

| HAZARD DATA SOURCE: Pharos Chemical and Materials Library | | | HAZARD SCREENING DATE: 2024-07-30 10:42:3 | | |
|---|-------------------------|--|---|---|--|
| %: 0.1000 - 1.0000 | GreenScreen: LT-UNK | RC: None | NANO: No | SUBSTANCE ROLE: Curing agent | |
| HAZARD TYPE | LIST NAME AND SOURCE | E | WARNINGS | | |
| SKI | EU - GHS (H-Statements) | EU - GHS (H-Statements) Annex 6 Table 3-1 | | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] | |
| MAM | GHS - Japan | GHS - Japan | | H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3] | |
| SKI | GHS - New Zealand | GHS - New Zealand | | Skin corrosion category 1C | |
| EYE | GHS - New Zealand | GHS - New Zealand | | Serious eye damage category 1 | |
| EYE | GHS - Japan | GHS - Japan | | H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1] | |
| SKI | GHS - Japan | GHS - Japan | | H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1] | |
| SKI | GHS - Australia | GHS - Australia | | H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C] | |
| ADDITIONAL LISTINGS | LIST NAME AND SOURCI | E | NOTIFICATION | | |
| None found | | No listings found on Additional Hazard Lists | | | |

SUBSTANCE NOTES:

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

| VOC EMISSIONS | CDPH Standard Method V1.2 (Section 01350/CHPS) - Classroom & Office scenario | |
|---|--|---|
| CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All facilities. CERTIFICATE URL: | ISSUE DATE: 2023-06-14 00:00:00 EXPIRY DATE: | CERTIFIER OR LAB: Eurofins Product Testing A/S |
| CERTIFICATION AND COMPLIANCE NOTES: | | |
| VOC CONTENT | SCAQMD Rule 1168 Adhesive and Sealant Applications - Adhesives for Wood Flooring, Rubber Floor, Ceramic Tile, Multipurpose Construction, Structural Glazing and Contact, as amended 1/7/05 | |
| CERTIFYING PARTY: Third Party | ISSUE DATE: 2023-06-14 00:00:00 | CERTIFIER OR LAB: Eurofins |

CERTIFICATION AND COMPLIANCE NOTES:

😑 Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

HDM MANUAL ADHESIVE DISPENSER

MANUFACTURER (OR GENERIC): Hilti

HPD URL: No HPD Available

ACCESSORY TYPE: Other CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Manual hybrid/epoxy adhesive anchor dispenser.

Section 5: General Notes

No general notes are applicable at this time.

MANUFACTURER INFORMATION

MANUFACTURER: Hilti ADDRESS: Hiltistraße 6, 86916 Kaufering, Kaufering 86916 COUNTRY: Deutschland WEBSITE: www.hilti.group CONTACT NAME: Syed Muhammad UI Haq TITLE: Chemical Regulatory Support Specialist PHONE: +49 8191 903382 EMAIL: product.compliance-anchors@hilti.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity CAN Cancer DEV Developmental toxicity END Endocrine activity EYE Eye irritation/corrosivity GEN Gene mutation GLO Global warming LAN Land toxicity MAM Mammalian/systemic/organ toxicity MUL Multiple NEU Neurotoxicity NF Not found on Priority Hazard Lists OZO Ozone depletion PBT Persistent, bioaccumulative, and toxic PHY Physical hazard (flammable or reactive) REP Reproductive RES Respiratory sensitization SKI Skin sensitization/irritation/corrosivity UNK Unknown

LT-P1 List Translator Possible 1 (Possible Benchmark-1) LT-1 List Translator 1 (Likely Benchmark-1) LT-UNK List Translator Benchmark Unknown NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

GreenScreen (GS)

PreC Pre-consumer recycled content
 PostC Post-consumer recycled content
 UNK Inclusion of recycled content is unknown
 None Does not include recycled content

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement) **BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology Third Party Verified Verification by independent certifier approved by HPDC Preparer Third party preparer, if not self-prepared by manufacturer Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List TranslatorTM, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

for compliance with the HPD standard noted.